

## PUBLICATIONS 2005

1. **Acharya, S. and Hajra, J.P.**  
Activities of Al in the Al+Ga+Bi+Sb system in the temperature range (1173 to 1323) K  
*J.Chem.Thermodynamics* 37 (2005) 169-174.
2. **Acharya, S. and Hajra, J.P.**  
Thermodynamic modeling of phase equilibria in Al-Ga-O-As system  
*Bull. Mater. Sci.* 28 (2005) 179-185.
3. **Azeem, M.A. Mondal, A.K. and Kumar, S.**  
Creep behaviour of short fibre reinforced QE22 magnesium alloy using impression creep test  
*Trans. Ind. Inst. Met.* 58 (2005) 489-492.
4. **Bakshi, S., Chattopadhyay, K. and Kumar, S.**  
Studies on the mechanical behaviour of a newly developed Al-4.6Cu functionally graded material:  
*Materials Forum* 29 (2005) 467-470.
5. **Basavaraj, M.G. Gupta, G.S., Naveen, K., Rudolph, V. and Bali, R.**  
Local liquid holdups and hysteresis in a 2-D packed bed using x-ray radiography  
*J. Americal Institute of Chemical Engineers* 51 (2005) 2178.
6. **Basu, J., Dey, G.K., Banerjee, S. and Ranganathan, S.**  
Phase evolution in quaternary Zr-Cu-Ni-Al and quinary Zr-Cu-Ni-Al-Pd bulk metallic glass forming alloys  
*Trans. Ind. Inst. Met.* 58 (2005) 61-70.
7. **Bauri, R. and Surappa, M.K.**  
Damping behavior of Al-Li-SiC<sub>p</sub> composites processed by stir casting technique  
*Metall. Meter. Trans.A* 36A (2005) 667-673.
8. **Bauri, R. and Surappa, M.K.**  
Investigations on serrated flow in 8090 al alloy and 8090 Al- SiC<sub>p</sub> composites ccurring during ultra low load micro hardness (duh) indentation  
*Mater. Sci. Engg. A* 393 ( 2005) 22-26
9. **Bauri, R., Pancholi, V., Samajdar, I and Surappa, M.K.**  
Relating microtexture and dynamic micro hardness in an extruded AA 8090 alloy and AA 8090 – 8 vol. % SiC<sub>p</sub> composite  
*Science and Technology of Advanced Materials (STAM)* 6 (2005) 933-938.

10. **Bhowmick, S., Jayaram, V. and Biswas, S.K.**  
Deconvolution of fracture property from load-displacement curves of TiN films on steels  
*Acta Mater* **53** (2005) 2459-2467.
11. **Bhowmick, S., Z.-H Xie, Hoffman, M. Jayaram, V. and Biswas, S.K.**  
Fracture mode transitions during indentation of TiN coatings on steel  
*Phil. Mag.* **85(25)** (2005) 2927-2945.
12. **Biswas, K., Galun, R., Mordike, B.L. and Chattopadhyay, K**  
Laser cladding of quasi-crystal-forming Al-Cu-Fe-Bi on an Al-Si alloy substrate  
*Metall. Mater. Trans.* **36A** (2005) 1947
13. **Biswas, K., Das, P.K., and Chattopadhyay, K.**  
Microstructural evolution in laser-ablation-deposited Fe-25 at.%Ge thin film  
*J. Mater. Res.* **21** (2005) 1-
14. **Biswas, T., Ranganathan, S. and Kimura, H.**  
Compositional effect on the stability of the amorphous phase in Al-La-Ni alloys  
*Jl. Metastable and Nanocrystalline Materials* **24-25** (2005) 695-698.
15. **Biswas, K., Basu, B., Suri, A.K. and Chattopadhyay, K.**  
A TEM study on TiB<sub>2</sub>-20% MoSi<sub>2</sub> composite : Microstructure development and densification mechanism  
*Scripta Mater.* **54** (2005) 1363-1368.
16. **Chandraprabha, M.N. Natarajan, K.A. and Somasundaran, P.**  
Selective separation of pyrite from chalcopyrite and arsenopyrite by biomodulation using *Acidithiobacillus ferrooxidans*  
*Int. J. Mineral Processing*, **75** (2005) 113-122.
17. **Chandraprabha, M.N. and Natarajan, K.A.**  
Electrophoretic softness of the surface of *Acidithiobacillus ferrooxidans* grown i different metal ions  
*Proc. NMD-ATM (2005), IIT, Chennai*
18. **Chen, N., Louzguine, D.V., Kubota, T., Ranganathan, S. and Inoue, A.**  
Formation of amorphous and icosahedral phases in Ti-Zr-Hf-Ni alloys  
*Acta Mater.* **53** (2005) 759.
19. **Chen, N., Louzguine, D.V., Kubota, T., Ranganathan, S. and Inoue, A.**  
Formation of amorphous and icosahedral phases in Ti-Zr-Hf-LTM (LTM= Ni, Pd, Pt) alloys  
*Scripta Mater.* **53** (2005) 213.
20. **Chen, N., Louzguine, D.V., Kubota, T., Ranganathan, S. and Inoue, A.**  
Glassy and icosahedral phases in rapidly solidified Ti-Zr-Hf-(Fe, Co or Ni) alloys  
*J. Noncryst Solids.* **351** (2005) 2547.

21. **Chockalingam, E., Sivapriya, K., Subramanian, S. and Chandrasekaran, S.**  
Rice husk filtrate as a nutrient medium for the growth of *Desulfotomaculum nigrificans*: Characterisation and sulphate reduction studies  
*Bioresource Technology* **96** (2005) 1880-1888
  
22. **Chokshi, A.H.**  
Cavity Nucleation and Growth in Superplasticity  
*Mater. Sci. Engg A*, **410-411**, (2005) 95-99.
  
23. **Chollacoop, N. and Ramamurty, U.**  
Critical Experimental Assessment of the Representative Strains in Instrumented Sharp Indentation  
*Scripta Mater.* **53** (2005) 247-251.
  
24. **Dwarakadasa, E.S. and Yu Fu Xiao**  
Aluminium-Silicon-Lead alloys by co-spray forming  
*Aluminium India* (2005) 3-7
  
25. **Gunda, R., Bhowmick, S., Jayaram, V and Biswas, S.K.**  
Mechanical properties of rough TiN coating deposited on steel by cathodic arc evaporation technique  
*J. Am. Ceram. Soc.* **88(7)** (2005) 1831-1837.
  
26. **Gupta, G.S., Rajneesh, S., Rudolph, V., Singh, V., Sarkar, S and Litster, J.D.**  
Mechanics of cavity hysteresis in a packed bed  
*Metall. Mater. Trans.* **36B** (2005) 755-764
  
27. **Hanlon, T., Chokshi, A.H., Manoharan, M. and Suresh, S.**  
Effects of Grain Refinement and Strength on Friction and Damage Evolution under Repeated Sliding Contact in Nanostructured Metals  
*Int. J. Fatigue* **27** (2005)1159-1163.
  
28. **Jacob, K.T. and Jain, S.**  
Fuel cell efficiency redefined : Carnot limit reassessed  
*Proc. of Int. Symp. On Solid Oxide Fuel Cells IX (SOFC-IX) Vol. 1 – Cells, Stacks and Systems, (Eds.) S.C. Singhal & J. Mizusaki, Published by The Electrochemical Society, Inc., New Jersey, Vol. 2005-07, 2005, pp. 630-639.*
  
29. **Jeyakumar, M. and Kumar, S.**  
Microstructural evolution of spray formed 7075 Al alloy  
*Trans. Ind. Inst. Met.* **58** (2005) 617-623.
  
30. **Kamble, S.N., Kubair, D.V. and Ramamurty, U.**  
Indentation strength of piezoelectric ceramics: Experiments and simulations  
*Proc. Int. Conf. on Smart Materials Structures and Systems, July 2005, Bangalore, India, pp. SD143-150, July , 2005*

31. **Kannan, S., Kishawy, H.A., Deiab, I.M. and Surappa, M.K.**  
Modeling of tool flank wear progression during orthogonal machining of metal matrix composites  
*Transactions of NAMRI/SME*, **33** (2005) 605-612.
32. **Kannan, S., Kishawy, H.A., Deiab, I.M. and Surappa, M.K.**  
Analysis of tool wear during machining metal matrix composites  
*J.Manufacturing Proces* (2005) ( in press)
33. **Kapilashrami, A., Lahiri, A.K. and Seetharaman, S.**  
Bubble formation through reaction at liquid-liquid interfaces  
*Steel Research International* **76** (2005) 616-623.
34. **Karthikeyan, C.S., Sankaran, S. and Kishore**  
Flexural behaviour of fibre-reinforced syntactic foams  
*J. Macromol. Mater. Eng.* **290** (2005) 60-65.
35. **Kishore and Santra, S.**  
Impact studies in elastomer, fly ash and hybrid-filled epoxy composites :  
Part I – Room temperature curing  
*J, Reinf. Plast. Comp.* **24** (2005) 903-922
36. **Kishore and Santra, S.**  
Impact studies in elastomer, fly ash and hybrid-filled epoxy composites :  
Part II – Comparison of data and fracture features of the samples cured via a  
single room temperature and multiple high temperatures  
*J, Reinf. Plast. Comp.* **24** (2005) 1013-1024
37. **Kishore, Sampathkumaran, P. and Seetharama, S.**  
Erosion and abrasion characteristics of high manganese chromium irons  
*Wear* **259** (2005) 70-77.
38. **Kishore, Ravi Shankaran, Sankaran, S.**  
Gradient syntactic foams : Tensile strength, modulus and fractographic features  
*Mater. Sci. Engg.* **A412** (2005) 153-158.
39. **Kishore, Barpanda, P. and Kulkarni, S.M.**  
Compression strength of saline water exposed epoxy composites containing  
flyash particles  
*J. Reinf. Plastics and Composites* **24 (14)** (2005) 1467 - 76
40. **Kishore, Ravi Shankar, S. and Sankaran, S.**  
Short beam three point bend tests in Syntactic foams:  
Part I : Microscopic Characterization of the failure zones  
*J. Applied Polymer Science*, **98 (2)** (2005) 673 - 679

41. **Kishore, Ravi Shankar, S and Sankaran, S.**  
Short beam three point bend test in Syntactic foams:  
Part II: Effect of microballoons content on shear strength  
*J. Applied Polymer Science* **98 (2)** (2005) 680 - 686
42. **Kishore, Ravi Shankar, S. and Sankaran, S.**  
Short beam three point bend test in Syntactic foams:  
Part III : Effects of interface modification on strength and fractographic features  
*J. Applied Polymer Science* **98 (2)** (2005) 687 - 693
43. **Kishore, Sampathkumaran , P., Seetharamu, S., Thomas, P. and Janardhana, M.**  
A study on the effect of type and content of filler in epoxy-glass composite system on the friction and slide wear characteristics  
*Wear* **259** (2005) 634 – 641.
44. **Kishore and Santra, S.**  
Individual and combined roles of CTBN and Fly ash in epoxy system under compression: correlation between microscopic features and mechanical behaviour  
*J. Reinf.Plastics and Composites* **24 (3)** (2005) 299 - 313
45. **Kottada, R.S. and Chokshi, A.H.**  
Low temperature compressive creep in electrodeposited nanocrystalline nickel  
*Scripta Mater.* **53** (2005) 887-892.
46. **Kumar, S., Dieringa, H. and Kainer, K.U.**  
Thermal cycling of magnesium hybrid composites  
*Proc. Int. Conf. on Advanced Materials Design & Developemnt (ICAMDD 2005) India, 2005.*  
*Invited paper*
47. **Kumar, S., Dieringa, H. and Kainer, K.U.**  
Effect of particulate content on thermal cycling behaviour of the magnesium alloy based hybrid composites  
*Composites: Part A* **36** (2005) 321-325.
48. **Lakshmi, V., Chockalingam, E., Subramanian, S., Natarajan, K.A. and Braun, J.J.**  
Assessment of acid production potential of the Ajjanahalli gold tailings  
*Proc. Int. Seminar on Mineral Processing Technology (MPT 2005), (Eds.)R. Venugopal, T. Sharma, V. K. Saxena and N. R. Mandre, Tata McGraw-Hill Publishing Company Limited, (2005) 407-414*
49. **Menezes, P.L., Kishore, Sasidhar, Y. and Kailas, S.V.**  
Role of surface topography on friction and transfer layer formation – A study using inclined scratch test  
*Proc. World Tribology Congress III (WTC2005), September, Washington*

50. **Menezes, P.L., Kishore and Kailas, S.V.**  
Studies on friction and transfer layer using inclined scratch  
*Tribology International* **39** (2) (2005) 175 - 183
51. **Menezes, P.L., Kishore and Kailas, S.V.**  
Effect of directionality of grinding marks on friction at different surface roughness using inclined scratch test  
*Proceedings of WTC 2005, World Tribology Congress III, September 12 -16, 2005, Washington, D.C. USA, WTC2005 – 64000,1-2.*
52. **Mukherjee, A., Raichur, A.M. and Modak, J.M.**  
Dissolution studies on TiO<sub>2</sub> with organics  
*J. Chemosphere* **61** (2005) 585-588.
53. **Mukherjee, M. and Lahiri, A.K.**  
Three-phase contact line profile between a large air bubble and a flat solid surface  
*J. Colloid and Interface Science* **291** (2005) 593-596.
54. **Murali, P. and Ramamurty, U.**  
Embrittlement of a bulk metallic glass due to sub-T<sub>g</sub> annealing  
*Acta Mater* **53** (2005) 1467-1478.
55. **Natarajan, K.A. Subramanian, S. and Braun, J.J.**  
Environmental impact of metal mining – biotechnological aspects of water pollution and remediation – an Indian experience  
Proc. 7<sup>th</sup> Int. Symposium on the Geochemistry of the Earth's Surface (GES-7), Aix-en-Provence, France (2005).
56. **Phanikumar, G., Biswas, K., Funke, O., Holland-Moritz, D., Herlach, D.M. and Chattopadhyay, K.**  
Solidification of undercooled peritectic Fe-Ge alloy  
*Acta Mater.* **53** (2005) 3591-3600.
57. **Phaniraj, M.P., Behera, B.B. and Lahiri, A.K.**  
Thermo-mechanical modeling of two phase rolling and microstructure evolution in the hot strip mill : Part-I : Prediction of rolling loads and finish rolling temperature  
*J. Mater. Process. Tech.* **170** (2005) 323-335.
58. **Ponpandian, N., Narayanasamy, A., Chinnasamy, C.N. and Sivakumar, N., Greneche, J.M., Chattopadhyay, K., Shinoda, K., Jeyadevan, B. and Tohji, K.**  
Neel temperature enhancement in nanostructured nickel zinc ferrite  
*Applied Physics Letters* **86** (2005) 192510

59. **Ponpandian, N., Narayanasamy, A., Prabhu, D., Ganesan, K., Raja, M.M. and Chattopadhyay, K.**  
Critical phenomena in FINEMET alloy  
*J. Magnetism and Magnetic Materials* (2005)
60. **Ramamurty, U. and Chollacoop, N.**  
Extraction of plastic properties from the instrumented indentation data : current status  
*Proc. 11<sup>th</sup> Int. Conf. on Fracture (ICF-11) & Special Symposium on Nanoindentation of Engineering & Biological Materials* (2005)
61. **Ramamurty, U.**  
Assessment of load transfer characteristics of a fiber-reinforced titanium-matrix composite  
*Composite Science and Technology* **65** (2005) 1815-1825.
62. **Ramamurty, U., Jana, S., Kawamura, Y., and K. Chattopadhyay, K.**  
Hardness and Plastic Deformation in a Bulk Metallic Glass  
*Acta Mater.* **53** (2005) 705-717.
63. **Rao, P.R. and Ranganathan, S.**  
Developing materials science  
*Revitalising Science – A symposium on the importance of science and technology in our society*
64. **Reddy, S.N.S., Leonard, D.N., Wiggins, L.B. and Jacob, K.T.**  
Internal displacement reactions in multicomponent oxides : Part I – Line compounds with narrow homogeneity range  
*Metall. Mater. Trans.* **36A** (2005) 2685-2693.
65. **Reddy, S.N.S., Leonard, D.N., Wiggins, L.B. and Jacob, K.T.**  
Internal displacement reactions in multicomponent oxides : Part II – Oxide solid solutions of wide composition range  
*Metall. Mater. Trans.* **36A** (2005) 2695-2703.
66. **Santhiya, D., Subramanian, S. and Natarajan, K.A.**  
Effect of bacterial proteins and polysaccharides on the selective separation of sphalerite from galena  
*Proc. of the 16<sup>th</sup> Int. Biohydrometallurgy Symposium, Cape Town, South Africa, (Eds.) S.T.L.Harrison, D.E.Rawlings and J.Petersen* (2005) pp. 325-333.
67. **Saravanan, L. and S. Subramanian, S.**  
Surface chemical studies on the competitive adsorption of poly(ethylene glycol) and ammonium poly(methacrylate) onto zirconia  
*Colloids and Surfaces A: Physicochem.Eng.Aspects* **252** (2005) 175-185

68. **Saravanan, L. and Subramanian, S.**  
Surface chemical studies on the competitive adsorption of poly(ethylene glycol) and ammonium poly(methacrylate) onto alumina  
*J. Colloid Interface Sci.* **284** (2005) 363-377
69. **Saravanan, L. and S. Subramanian, S.**  
Surface chemical studies on zirconia in the presence of ammonium poly(methacrylate)  
*Proc. International Seminar on Mineral Processing Technology (MPT 2005)*, (Eds.) R. Venugopal, T. Sharma, V. K. Saxena and N. R. Mandre, Tata McGraw-Hill Publishing Company Limited, (2005) pp. 372-380
70. **Sarvamangala, H., Subramanian, S., Natarajan, K.A. and Braun, J.J.**  
Isolation and selection of efficient autotrophic bacteria from the Chitradurga copper mines  
*Proc. Int. Seminar on Mineral Processing Technology (MPT 2005)*, (Eds.) R. Venugopal, T. Sharma, V. K. Saxena and N. R. Mandre, Tata McGraw-Hill Publishing Company Limited, (2005) 451-459
71. **Sastry, D.H.**  
Impression creep technique – An overview  
*Mater. Sci. Engg A* **409** (1-2) (2005) 67-75
72. **Satapathy, L.N. and Chokshi, A.H.**  
Microstructural Development and Creep Deformation in an Alumina- 5% YAG Composite  
*J. American Ceramic Society* **88** (2005) 2848-2854.
73. **Setyawan, A.D., Louzguine, D.V., Sasamori, K., Kumura, H.M., Ranganathan, S. and Inoue, A.**  
Phase composition and transformation behavior of readily solidified Al-Ni-Fe alloys in  $\alpha$ -Al-decagonal phase region  
*J. Alloys and Compounds* **399** (2005) 132-138.
74. **Shivamurthy, R.C. and Surappa, M.K.**  
Characteristics of tribolayers observed in a356 al alloy – SiC<sub>p</sub> composite discs/brake pad during sliding wear tests  
*Proc. World Tribology Congress Conference (WTC-III), September 12<sup>th</sup> –16<sup>th</sup>, 2005, Washington Hilton, Washington, D.C., USA*
75. **Somasundaran, P. Namita, D. Pushpendu, D. and Natarajan, K.A.**  
Role of biopolymers on bacterial adhesion and mineral beneficiation  
*Miner. Metall. Process.* **22** (2005) 1-
76. **Srivastava, D., Neogy, S., Dey, G.K., Banerjee, S. and Ranganathan, S.**  
Application of invariant plane strain (IPS) theory to  $\gamma$  hydride formation in dilute Zr-Nb alloys  
*J. Mater. Sci. Engg.* **397** (2005) 138-144.



77. **Somasundaran, P., Deo, N., Deo, P. and Natarajan, K.A.**  
Role of biopolymers on bacterial adhesion and mineral beneficiation  
*Min. & Metall. Process.* **22** (2005) 1-11.
78. **Suma, N., Subramanian, S., Natarajan, K.A. and Braun, J.J.**  
Studies on adaptation of microbial isolates from Chitradurga mines to copper, zinc and arsenic  
*Proc. Int. Seminar on Mineral Processing Technology (MPT 2005)*,  
(Eds.)R. Venugopal, T. Sharma, V. K. Saxena and N. R. Mandre,  
*Tata McGraw-Hill Publishing Company Limited, (2005) pp. 468-475*
79. **Surappa, M.K. and Shivakumar, K.N.**  
Sliding wear and friction properties of stitched rtm base carbon-carbon composites  
*Proc. World Tribology Congress Conference (WTC-III), September 2005, Washington Hilton, Washington, D.C., USA*
80. **Surappa, M.K. Uyyuru, R.K. and Brusethaug, S.**  
Effect of reinforcement volume fraction, and size distribution on the tribological behavior of al-composite / brake pad tribo-couple  
*Wear, 2005, (In Print)*
81. **Surappa, M.K. Uyyuru, R.K. and Brusethaug, S.**  
Tribological behavior of Al-SiCp composites/automobile brake pad system under dry sliding conditions  
*Tribology International (2005) (in press)*
82. **Suresh, N. and Ramamurty, U.**  
The effect of ageing on the damping properties of Cu-Al-Ni shape memory alloys  
*Smart Mater. Struct.* **14** (2005) N47-N51.
83. **Suresh, N. and Ramamurty, U.**  
Aging response and its effect on mechanical and functional properties of Cu-Al-Ni shape memory alloys  
*Proc. Int. Conf. on Smart Materials Structures and Systems, July 2005, Bangalore*
84. **Swaroop, S., Kilo, M., Argiris, C., Borchardt, G. and Chokshi, A.H.**  
Analysis of Lattice and Grain Boundary Cation Diffusion in 3YTZ using SIMS  
*Acta Mater.* **53** (2005) 4975-4985.
85. **Thangamani, N., Gandhi, A.S., Jayaram, V. and Chokshi, A.H.**  
Low Temperature High-Pressure Consolidation of Amorphous Al<sub>2</sub>O<sub>3</sub>-15 mol% Y<sub>2</sub>O<sub>3</sub>  
*Journal of the American Ceramic Society* **88** (2005) 2696-2701.

86. **Thomas, P., Dwarakanath, K., Sampathkumaran, P., Seetharamu, S. and Kiran, K.**  
Influence of moisture absorption on electrical characteristics of glass – epoxy poly  
composite system  
*Proceedings of 2005 International Symposium on Electrical Insulating Materials*  
*June 5 – 9, 2005, Kitakyushu, Japan, volume 3, P 2-21 (2005) 612 -615*